

Strohm Teka Hungary > Showers > Shower columns > Single lever shower system >



180°

180° Dual control Healthy zuhanyrendszer

Thermostatic design shower column with shower system functionality.

Ref: 182560200

Colour

Chrome

Technical features

- Thermostatic shower mixer with upper outlet
- Safety temperature stop at 38°C
- Safe touch system
- Integrated automatic diverter
- Height-adjustable telescopic shower arm (min height: 97 cm, max height 131 cm)
- 3 functions hand shower
- Adjustable hand shower holder
- Check valves
- Check valves protected by filters
- 1.5m high quality metal flexible shower hose

Other features


- TX578

Images

Legal disclaimer:

*Certain technical factors and features of our finishes may be altered due to possible variations in the configuration of your computer and/or printer; these data are therefore only approximate and not definitive. We regularly review our product specifications to improve their characteristics and warranties. Please request detailed information from our sales department for any building or refitting projects.

Strohm Teka Hungary > Showers > Shower columns > Single lever shower system >



Legal disclaimer:

*Certain technical factors and features of our finishes may be altered due to possible variations in the configuration of your computer and/or printer; these data are therefore only approximate and not definitive. We regularly review our product specifications to improve their characteristics and warranties. Please request detailed information from our sales department for any building or refitting projects.

[Strohm Teka Hungary](#) > [Showers](#) > [Shower columns](#) > [Single lever shower system](#) >



Downloads



Product drawings

Legal disclaimer:

*Certain technical factors and features of our finishes may be altered due to possible variations in the configuration of your computer and/or printer; these data are therefore only approximate and not definitive. We regularly review our product specifications to improve their characteristics and warranties. Please request detailed information from our sales department for any building or refitting projects.